Journal of Applied Microbiology

Edited by
D.E.S. Stewart-Tull, A. F. Godfree, I. M. Feavers and G. R. Gibson

Volume 89, 2000

Copyright © 2000 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

ISSN 1364-5072

Published by
Blackwell Science Ltd
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 89, Number 1, July 2000

1 Instructions for authors

5 Detection of cryptosporidia and *Cryptosporidium parvum* oocysts in environmental water samples by immunomagnetic separation-polymerase chain reaction *S. Hallier-Soulier & E. Guillot*

11 The detection of astrovirus in sludge biosolids using an integrated cell culture nested PCR technique *C.D. Chapron, N.A. Ballester & A.B. Margolin*

16 *In vitro* cytotoxicity of non-Cyt inclusion proteins of a *Bacillus thuringiensis* isolate against human cells, including cancer cells *H.-S. Kim, S. Yamashita, T. Akao, H. Saitoh, K. Higuchi, Y.S. Park, E. Mizuki & M. Ohba*

24 Yeast communities and genetic polymorphism of *Saccharomyces cerevisiae* strains associated with artisanal fermentation in Brazil *C. Pataro, J.B. Guerra, M.L. Petrillo-Peixoto, L.C. Mendonça-Hagler, V.R. Linardi & C.A. Rosa*

32 Microemulsions are membrane-active, antimicrobial, self-preserving systems *I.S.I. Al-Adham, E. Khalil, N.D. Al-Hmoud, M. Kierans & P.J. Collier*

40 Factors influencing the ability of *Pseudomonas putida* strains epI and II to degrade the organophosphate ethoprophos *D.G. Karpouzas & A. Walker*

49 A comparison of methods for the detection of *Escherichia coli* O157:H7 from artificially-contaminated dairy products using PCR *J.L. McKillip, L.A. Jaykus & M.A. Drake*

56 Efficient method for the detection of microbially-produced antibacterial substances from food systems *S.M. Morgan, R. Hickey, R.P. Ross & C. Hill*

63 Expression of the *hilA Salmonella typhimurium* gene in a poultry *Salm. enteritidis* isolate in response to lactate and nutrients *J.A. Durant, D.E. Corrier, L.H. Stanker & S.C. Ricke*

70 Prevalence and virulence properties of *Vibrio cholerae* non-O1, *Aeromonas* spp. and *Plesiomonas shigelloides* isolated from Cambé Stream (State of Paraná, Brazil) *A. Gibotti, H.O. Saridakis, J.S. Pelayo, K.C. Tagliari & D.P. Falcão*

76 Chitinases from *Vibrio*: activity screening and purification of chiA from *Vibrio carchariae W. Suginta, P.A.W. Robertson, B. Austin, S.C. Fry & L.A. Fothergill-Gilmore*

85 Production of catalase and glucose oxidase by *Aspergillus niger* using unconventional oxygenation of culture *J. Fiedurek & A. Gromada*

90 Changes in viability and macromolecular content of long-term batch cultures of *Salmonella typhimurium* measured by flow cytometry *K. Turner, J. Porter, R. Pickup & C. Edwards*

100 Alterations in extracellular substances during the biofilm development of *Pseudomonas aeruginosa* on aluminium plates *H.Y. Cheung, S.Q. Sun, B. Sreedhar, W.M. Ching & P.A. Tanner*

107 Incorporation of eicosapentaenoic and docosahexaenoic acids by a yeast (FO726A) *X. Guo & Y. Ota*

116 Influence of different substrate limitations on the yield, composition and molecular mass of exopolysaccharides produced by *Lactococcus lactis* subsp. *cremoris* in continuous cultures *P.J. Looijesteijn, W.H.M. van Casteren, R. Tuinier, C.H.L. Doeswijk-Voragen & J. Hugenholtz*

123 Denitrification by indigenous microbial populations of river water measured using membrane inlet mass spectrometry *J.R. Firth & C. Edwards*

130 16S to 23S rRNA spacer fragment length polymorphism of *Salmonella enterica* at subspecies and serotype levels *H. Christensen, P.L. Moller, F.K. Vogensen & J.E. Olsen*

137 Survival of *Salmonella* in bathrooms and toilets in domestic homes following salmonellosis *J. Barker & S.F. Bloomfield*

145 The response of *Aeromonas hydrophila* to oxidative stress induced by exposure to hydrogen peroxide *J.P.B. Landre, A.A. Gavriel, R.C. Rust & A.J. Lamb*

152 High expression of the penicillin G acylase gene (*pac*) from *Bacillus megaterium* UN1 in its own *pac* minus mutant *W. Panbangred, K. Weeradechapon, S. Udomvaraphant, K. Fujiyama & V. Meevootisom*

158 Role of rhamnolipid biosurfactants in the uptake and mineralization of hexadecane in *Pseudomonas aeruginosa* *R. Beal & W.B. Betts*

169 Comparison of methods for isolating *Salmonella* bacteria from faeces of naturally infected pigs *P.R. Davies, P.K. Turkson, J.A. Funk, M.A. Nichols, S.R. Ladely & P.J. Fedorka-Cray*

178 Determination of metabolic activity of streptomycetes in soil microcosms *E.A. Katsifas, T.G. Koraki & A.D. Karagouni*

185 A NOTE: Production of rhodanese by bacteria present in bio-oxidation plants used to recover gold from arsenopyrite concentrates *M.N. Gardner & D.E. Rawlings*

Volume 89, Number 2, August 2000

191 Genotypic and phenotypic heterogeneity among lactococci isolated from traditional Pecorino Sardo cheese *L. Mannu, A. Paba, M. Pes & M.F. Scintu*

198 The effect of culture growth phase induction of the heat shock response in *Yersinia enterocolitica* and *Listeria monocytogenes C.M.M. McMahon, C.M. Byrne, J.J. Sheridan, D.A. McDowell, I.S. Blair & T. Hegarty*

207 Use of flow cytometry to monitor cell damage and predict fermentation activity of dried yeasts *P.V. Attfield, S. Kletsas, D.A. Veal, R. van Rooijen & P.J.L. Bell*

215 The lactoperoxidase-system: the influence of iodide and the chemical and antimicrobial stability over the period of about 18 months *E.H. Bosche, H. van Doorne, & S. De Vries*

225 The response of a bacterial biofilm community in a simulated industrial cooling water system to treatment with an anionic dispersant *R. MacDonald, M. Santa & V.S. Brözel*

236 Molecular identification of wine yeasts at species or strain level: a case study with strains from two vine-growing areas of Greece *P. V. Pramateftaki, P. Lanaridis & M.A. Typas*

249 Biological and molecular characterization of a two-peptide lantibiotic produced by *Lactococcus lactis* IFPL105 *M.C. Martínez-Cuesta, G. Buist, J. Kok, H.H. Hauge, J. Nissen-Meyer, C. Peláez & T. Requena*

261 Potentially pathogenic vibrios in brackish waters and mussels *T.L. Maugeri, D. Caccamo & C. Gugliandolo*

267 A survey of the enterococci isolated from an artisanal Italian goat's cheese (semicotto caprino) *G. Suzzi, M. Caruso, F. Gardini, A. Lombardi, L. Vannini, M.E. Guerzoni, C. Andrighetto & M.T. Lanorte*

275 Susceptibility testing: inoculum size dependency of inhibition using the Colworth MIC technique *R.J.W. Lambert*

280 Isolation and characterization of a protease from *Pseudomonas fluorescens* RO98 *R. Koka & B.C. Weimer*

289 Outer membrane protein shifts in biocide resistant *Pseudomonas aeruginosa* PAO1 *C.L. Winder, I.S.I. Al-Adham, S.M.A. Abdel Malek, T.E.J. Buultjens, A.J. Horrocks & P.J. Collier*

296 Combined action of S-carvone and mild heat treatment on *Listeria monocytogenes* Scott A *A.K. Karatzas, M.H.J. Bennik, E.J. Smid & E.P.W. Kets*

302 Influence of TNT transformation on microbial community structure in four different lake microcosms *P. Wikström, A.-C. Andersson, Y. Nygren, J. Sjöström & M. Forsman*

309 Molecular and insecticidal characterization of a *Bacillus thuringiensis* strain isolated during a natural epizootic *M. Porcar & P. Caballero*

317 Lactic acid bacteria associated with the digestive tract of atlantic salmon *(Salmo salar* L.) *E. Ringo, H.R. Bendiksen, M.S. Wesmajervi, R.E. Olsen, P.A. Jansen & H. Mikkelsen*

323 Variation of microcystin content of *Microcystis aeruginosa* relative to medium N:P ratio and growth stage *S.J. Lee, M.-H. Jang, H.-S. Kim, B.-D. Yoon & H.M. Oh*

330 Mechanisms of killing of spores of *Bacillus subtilis* by iodine, glutaraldehyde and nitrous acid *R. Tennen, B. Setlow, K.L. Davis, C.A. Loshon & P. Setlow*

339 Distribution of *alkB* genes within n-alkane-degrading bacteria *A. Vomberg & U. Klinner*

349 The fate of stormwater-associated bacteria in constructed wetland and water pollution control pond systems *C.M. Davies & H.J. Bavor*

361 Characterization and mechanism of action of cerein 7, a bacteriocin produced by *Bacillus cereus* Bc7 *J.C. Oscáriz & A.G. Pisabarro*

370 Evaluation of chemchrome V6 for bacterial viability assessment in waters *N. Parthuisot, P. Catala, K. Lemarchand, J. BAudart & P. Lebaron*

Volume 89, Number 3, September 2000

381 The incidence of killer activity of non-*Saccharomyces* yeasts towards indigenous yeast species of grape must: potential application in wine fermentation *N.A. Yap, M. de Barros Lopes, P. Langridge & P.A. Henschke*

390 A 210-min solid phase cytometry test for the enumeration of *Escherichia coli* in drinking water *S.O. Van Poucke & H.J. Nelis*

397 Antimicrobial mechanism of action of surfactant lipid preparations in enteric gram-negative bacilli *T. Hamouda & J.R. Baker*

404 *Saccharomyces boulardii* stimulates sIgA prodction and the phagocytic system of gnotobiotic mice *A.C.P. Rodrigues, D.C. Cara, S.H.G.G. Fretez, F.Q. Cunha, E.C. Vieira, J.R. Nicoli & L.Q. Vieira*

415 The expression of proteinases and haemolysins by *Aeromonas hydrophila* under modified atmospheres *M.A.S. McMahon*

423 Colonization strategies and conjugal gene transfer of inoculated *Pseudomonas syringae* on the leaf surface *K. Björklöf, E.-L. Nurmiaho-Lassila, N. Klinger, K. Haahtela & M. Romantschuk*

433 Ultrasonic methodology coupled to ATP bioluminescence for the non-invasive detection of fouling in food processing equipment — validation and application to a dairy factory *N. Oulahal-Lagsir, A. Martial-Gros, M. Bonneau & L.J. Blum*

442 Effects of lactic acid bacteria in inoculants on changes in amino acid composition during ensilage of sterile and non-sterile ryegrass *A.L. Winters, J.E. Cockburn, M.S. Dhanoa & R.J. Merry*

452 Comparison of PCR-RFLP, ribotyping and ERIC-PCR for typing *Bacillius anthracis* and *Bacillus cereus* strains *Y.H. Shangkuan, J.F. Yang, H.C. Lin & M.F. Shaio*

463 Genotypic and phenotypic differentiation of an antifungal biocontrol strain belonging to *Bacillus subtilis* *P. Marten, K. Smalla & G. Berg*

472 Survival of *Salmonella* in peanut butter and peanut butter spread *S.L. Burnett, E.R. Gehm, W.R. Weissinger & L.R. Beuchat*

478 Continuing high prevalence of VanA-type vancomycin resistant enterococci on Norwegian poultry farms three years after avoparcin was banned *K. Borgen, G.S. Simonsen, A. Sundsfjord, Y. Wasteson, Ø. Olsvik & H. Kruse*

486 Production of B-group vitamins by two *Azotobacter* strains with phenolic compounds as sole carbon source under diazotrophic and adiazotrophic conditions *J.J. Revillas, B. Rodelas, C. Pozo, M.V. Martínez-Toledo & J. González-López*

494 Occurrence of lectins and hydrophobicity of bacteria obtained from biofilm of hospital catheters and water pipes *J.C. Fiorina, M. Weber & J.C. Block*

501 Comparison of two commercial preparations of buffered peptone water for the recovery and growth of *Salmonella* bacteria from foods *C.L. Baylis, S. MacPhee & R.P. Betts*

511 Use of the DNA sequence of variable regions of the 16S rRNA gene for rapid and accurate identification of bacteria in the *Lactobacillus acidophilus* complex *M.J. Kullen, R.B. Sanozky-Dawes, DC. Crowell & T.R. Klaenhammer*

517 Bactericidal action of high-power Nd:YAG laser light on *Escherichia coli* in saline suspension *G.D. Ward, I.A. Watson, D.E.S. Stewart-Tull, A.C. Wardlaw, R.K. Wang, M.A. Nutley & A. Cooper*

526 Metabolism of arginine and its positive effect on growth and revival of *Oenococcus oeni T. Tonon & A. Lonvaud-Funel*

532 Effects of physicochemical variables and cyanobacterial extracts on the immunoassay of microcystin-LR by two ELISA kits *J.S. Metcalf, P. Hyenstrand, K.A. Beattie & G.A. Codd*

539 Detection of toxigenic *Vibrio cholerae* from environmental water samples by an enrichment broth cultivation-pit-stop semi-nested PCR procedure *J. Theron, J. Cilliers, M. du Preez, V.S. Brözel & S.N. Venter*

547 Kinetics of the arginine metabolism of malolactic wine lactic acid bacteria *lactobacillus buchneri* CUC-3 and *Oenococcus oeni* Lo111 *R. Mira de Orduña, S.-Q. Liu, M.L. Patchett & G.J. Pilone*

Volume 89, Number 4, October 2000

553 Isolation and characterization of a *Lactobacillus amylovorus* mutant depleted in conjugated bile salt hydrolase activity: relation between activity and bile salt resistance *J.P. Grill, C. Cayuela, J.M. Antoine & F. Schneider*

564 The formation of mixed culture biofilms of oral species along a gradient of shear stress *K.A. Saunders & J. Greenman*

573 Continuous production of lacticin 3147 and nisin using cells immobilized in calcium alginate *A.G.M. Scannell, C. Hill, R.P. Ross, S. Marx, W. Hartmeier & E.K. Arendt*

580 Physiology and taxonomy of *Thiobacillus* strain TJ330, which oxidizes carbon disulphide (CS_2) *T. Hartikainen, J. Ruuskanen, K. Räty, A. von Wright & P.J. Martikainen*

587 A membrane-immuofluorescent-viability staining technique for the detection of *Salmonella* spp. from fresh and processed meat samples *G. Duffy, B. Kilbride, J.J. Sheridan, I.S. Blair & D.A. McDowell*

595 A NOTE: Direct microscopy of *bacillus* endospore germination in soil microcosms *C. Thrane, S. Olsson, J. Wolstrup & J. Sørensen*

599 An indirect immunofluorescent antibody technique for detection and enumeration of *Vibrio vulnificus* serovar e (biotype 2): development and applications *E. Marco-Noales, E.G. Biosca, M. Milán & C. Amaro*

607 Production and secretion of collagen-binding proteins from *Aeromonas veronii F. Ascencio, T.R. Hirst & T. Wadström*

617 Anti-adhesive and antibacterial properties of a proprietary denture cleanser *T.D. Morgan & M. Wilson*

624 Effect of packaging conditions on the growth of microorganisms and the quality characteristics of fresh mushrooms *(Agaricus bisporus)* stored at inadequate temperatures *E. González-Fandos, M. Giménez, C. Olarte, S. Sanz & A. Simón*

633 Molecular analysis of tetracycline resistance in *Salmonella enterica* subsp. *enterica* serovars Typhimurium, Enteritidis, Dublin, Choleraesuis, Hadar, Saintpaul: construction and application of specific gene probes *G. Frech & S. Schwarz*

642 Enrichment and isolation of non-specific aromatic degraders from unique uncontaminated (plant and faecal material) sources and contaminated soils *A.L. Juhasz & R. Naidu*

651 An extracellular sensor and an extracellular induction component are required for alkali induction of alkyl hydroperoxide tolerance in *Escherichia coli Z. Lazim & R.J. Rowbury*

657 A genetic study of natural *flor* strains of *Saccharomyces cerevisiae* isolated during biological aging from sardinian wines *M. Budroni, G. Giordano, G. Pinna & G.A. Farris*

663 Virulence plasmid (pYV)-associated susceptibility of *Yersinia enterocolitica* to chlorine and heavy metals *N. Bansal, I. Sinha & J.S. Virdi*

668 Evaluation of 16S rRNA and cellular fatty acid profiles as markers of human intestinal bacterial growth using the chemostat *M.J. Hopkins & G.T. MacFarlane*

678 Extrusion of wheat or sorghum and/or addition of exogenous enzymes to pig diets influences the large intestinal microbiota but does not prevent development of swine dysentery following experimental challenge *Z. Durmic, D.W. Pethick, B.P. Mullan, H. Schulze, J.M. Accioly & D.J. Hampson*

687 Characterization of *Sphingomonas* isolates from Finnish and Swedish drinking water distribution systems *R. Koskinen, T. Ali-Vehmas, P. Kämpfer, M. Laurikkala, I. Tsitko, E. Kostyal, F. Atroshi & M. Salkinoja-Salonen*

697 REVIEW: Drug uptake via nutrient transporters in *Trypanosoma brucei M.-P. Hasne & M.P. Barrett*

702 A new bacteriophage, VHML, isolated from a toxin-producing strain of *Vibrio harveyi* in tropical Australia *H.J. Oakey & L. Owens*

710 Efficacy of a commercial polymerase chain reaction-based assay for detection of *salmonella* spp. in animal feeds *K.G. Maciorowski, S.D. Pillai & S.C. Ricke*

719 Detection of a novel campylobacter cytotoxin *A. Lee, S.C. Smith & P.J. Coloe*

Volume 89, Number 5, November 2000

727 Antimicrobial resistance profiling and DNA Amplification Fingerprinting (DAF) of thermophilic *Campylobacter* spp. in human, poultry and porcine samples from the Cork region of Ireland *B. Lucey, C. Feurer, P. Greer, P. Moloney, B. Cryan & S. Fanning*

735 Feather keratin hydrolysis by a *Vibrio* sp. strain kr2 *S. Sangali & A. Brandelli*

744 Diversity of phytoplasmas isolated from insects, determined by a DNA heteroduplex mobility assay and a length polymorphism of the 16S-23S rDNA spacer region analysis *S. Palmano & G. Firrao*

751 Microbial differentiation and changes in susceptibility to antimicrobial agents *N.A. Turner, J. Harris, A.D. Russell & D. Lloyd*

760 The inactivation of foot and mouth disease, Aujeszky's disease and classical swine fever viruses in pig slurry *C. Turner, S.M. Williams & T.R. Cumby*

768 Microbial succession during a composting process as evaluated by denaturing gradient gel electrophoresis analysis *K. Ishii, M. Fukui & S. Takii*

778 Effect of antibiotics on viability staining of *Escherichia coli* in solid phase cytometry *E. D'Haese & H.J. Nelis*

785 Release of cell-free ice nuclei from *Halomonas elongata* expressing the ice nucleation gene *inaZ* of *Pseudomonas syringae G. Tegos, C. Vargas, A. Perysinakis, A.I. Koukkou, A. Christogianni, J.J. Nieto, A. Ventosa & C. Drainas*

793 Effect of protective agents, rehydration media and initial cell concentration on viability of *Pantoea agglomerans* strain CPA-2 subjected to freeze-drying *E. Costa, J. Usall, N. Teixidó, N. Garcia & I. Viñas*

801 Heat resistance of *Paenibacillus polymyxa* in relation to pH and acidulants *M.A. Casadei, R. Ingram, R.J. Skinner & J.E. Gaze*

807 Changes in the *Lactobacillus* community during Ricotta forte cheese natural fermentation *F. Baruzzi, M. Morea, A. Matarante & P.S. Cocconcelli*

815 Exclusion of *vanA, vanB* and *vanC* type glycopeptide resistance in strains of *Lactobacillus reuteri* and *Lactobacillus rhamnosus* used as probiotics by polymerase chain reaction and hybridization methods *G. Klein, C. Hallmann, I.A. Casas, J. Abad, J. Louwers & G. Reuter*

825 Detection and differentiation between mycotoxigenic and non-mycotoxigenic strains of two *Fusarium* spp. using volatile production profiles and hydrolytic enzymes *G. Keshri & N. Magan*

834 Changes in major components of tea fungus metabolites during prolonged fermentation *C. Chen & B.Y. Liu*

840 Isolation of *Bacillus* strains from the rhizosphere of cereals and *in vitro* screening for antagonism against phytopathogenic, food-borne pathogenic and spoilage micro-organisms *T. Földes, I. Bánhegyi, Z. Herpai, L. Varga & J. Szigeti*

847 Surface hydrophobicity, viability and efficacy in biological control of *Pencillium oxalicum* spores produced in aerial and submerged culture *S. Pascual, A. De Cal, N. Magan & P. Melgarejo*

854 Inactivation of *Mycobacterium bovis* in cattle slurry by five volatile chemicals *M.P. Scanlon & P.J. Quinn*

862 Autolysis of dairy leuconostocs and detection of peptidoglycan hydrolases by renaturing SDS-PAGE *R. Cibik & M.-P. Chapot-Chartier*

870 Cell-bound and extracellular carboxylesterases from *Streptomyces*: hydrolytic and synthetic activities *R. Gandolfi, F. Marinelli, A. Lazzarini & F. Molinari*

876 Use of a *PGU1* recombinant *Saccharomyces cerevisiae* strain in oenological fermentations *M. Vilanova, P. Blanco, S. Cortés, M. Castro, T.G. Villa & C. Sieiro*

884 Comparison of three enrichment media for the isolation of *Campylobacter* spp. from foods *C.L. Baylis, S. MacPhee, K.W. Martin, T.J. Humphrey & R.P. Betts*

892 The effect of thermal stress on *Campylobacter coli* *J.E. Moore & R.H. Madden*

Volume 89, Number 6, December 2000

901 Behaviour of *Listeria monocytogenes* and autochthonous flora on meat stored under aerobic, vacuum and modified atmosphere packaging conditions with or without the presence of oregano essential oil at 5°C *E. Tsigarida, P. Skandamis & G-J.E. Nychas*

910 A microbiological evaluation of warm air hand driers with respect to hand hygiene and the washroom environment *J.H. Taylor, K.L. Brown, J. Toivenen & J.T. Holah*

920 The effect of biogenic amine production by single bacterial cultures and metabiosis on cold-smoked salmon *L.V. Jørgensen, H.H. Huss & P. Dalgaard*

935 Modelling inactivation of *Escherichia coli* by low pH: application to passage through the stomach of young and elderly people *K. Takumi, R. de Jonge & A. Havelaar*

944 Effect of various environmental parameters on the recovery of sublethally salt-damaged and acid-damaged *Listeria monocytogenes N. Gnanou Besse, F. Dubois Brissonnet, V. Lafarge & V. Leclerc*

951 Estimates of leucine aminopeptidase activity in different marine and brackish environments *G. Caruso & R. Zaccone*

960 Isolation of a bacteriocin-producing *Lactococcus lactis* subsp. *lactis* and application to control *Listeria monocytogenes* in Moroccan jben *N. Benkerroum, H. Oubel, M. Zahar, S. Dlia & A. Filali-Maltouf*

969 Evaluation of numerical analyses of RAPD and API 50 CH patterns to differentiate *Lactobacillus plantarum, Lact. fermentum, Lact. rhamnosus, Lact. sake, Lact. parabuchneri, Lact. gallinarum, Lact. casei, Weissella minor* and related taxa isolated from *kocho* and *tef A. Nigatu*

979 Site-specific restriction endonucleases in cyanobacteria *C. Lyra, T. Halme, A.-M. Torsti, T. Tenkanen & K. Sivonen*

992 Structure, production characteristics and fungal antagonism of tensin - a new antifungal cyclic lipopeptide from *Pseudomonas fluorescens* strain 96.578 *T.H. Nielsen, C. Thrane, C. Christophersen, U. Anthoni & J. Sørensen*

1002 Simultaneous ethanol and bacterial ice nuclei production from sugar beet molasses by a *Zymomonas mobilis* CP4 mutant expressing the *inaZ* gene of *Pseudomonas syringae* in continuous culture *A.L. Savvides, A. Kallimanis, A. Varsaki, A.I. Koukkou, C. Drainas, M.A. Typas & A.D. Karagouni*

1009 Solute stresses affect growth patterns, endogenous water potentials and accumulation of sugars and sugar alcohols in cells of the biocontrol yeast *Candida sake M. Abadias, N. Teixidó, J. Usall, I. Viñas & N. Magan*

1018 A survey on the microbiological changes during the manufacture of dry-cured lacón, a Spanish traditional meat product *I. Vilar, M,C, García Fontán, B. Prieto, M.E. Tornadijo & J. Carballo*

1027 Degradation of quercetin-3-glucoside in gnotobiotic rats associated with human intestinal bacteria *H. Schneider, R. Simmering, L. Hartmann, H. Pforte & M. Blaut*

1038 Mixing and sulphate-reducing activity of bacteria in swelling, compacted bentonite clay under high-level radioactive waste repository conditions *K. Pedersen, M. Motamedi, O. Karnland & T. Sandén*

1048 An investigation into the pathogenic properties of *Escherichia coli* strains BLR, BL21, DH5α and EQ1 *H. Chart, H.R. Smith, R.M. La Ragione & M.J. Woodward*

1059 Characterization of phage receptors in *Streptococcus thermophilus* using purified cell walls obtained by a simple protocol *A. Quiberoni, J.I. Stiefel & J.A. Reinheimer*

1066 Corrigenda

1067 Index